

Coding

ARTEZ

JavaScript

Event Listeners

Variables

Functions

Event Listeners

A way to respond to
'events' like a click,
scroll, mousemove or
window resize


Variables

A 'word' that can
store a value that can
be referenced to and
changed

Functions

Is a small set of programming-lines that can be easily re-used.

Don't Repeat Yourself



<doing>

Download lesson3.zip
from [http://artez.fabianhijkema.nl/
projectweek/coding](http://artez.fabianhijkema.nl/projectweek/coding)

<doing>

Open up example1.html
in both Brackets and
your browser.

Working Files

club_lapland_s

• example1_end

Getting Started ▾

index.html

main.css

▶ screenshots

```
92         transform: rotate(-15deg);
93     }
94     #right-side .eyebrow {
95         transform: rotate(15deg);
96     }
97 </style>
98
99 <script>
100     $(document).ready(function(){
101
102     })
103 </script>
104 </head>
105 <body>
106     <div id="controls">
107         <div class="control"><label>Eyebrows</label><input type="range"
108         value="25" id="eyebrow-control"></div>
109         <div class="control"><input type="checkbox" id="crazyeyes-control">
110         <label>Crazy eyes</label></div>
111     </div>
112
113     <div id="left-side">
114         <div class="eyebrow"></div>
115         <div class="eye">
116             <div class="pupil"></div>
117         </div>
118     </div>
119     <div id="right-side">
120         <div class="eyebrow"></div>
121         <div class="eye">
122             <div class="pupil"></div>
```

Line 102, Column 1 — Selected 1 line — 125 Lines

INS

HTML ▾



Spaces: 4

Working Files

club_lapland_s

• example1_end

Getting Started ▾

index.html

main.css

▶ screenshots

```
92         transform: rotate(-15deg);
93     }
94     #right-side .eyebrow {
95         transform: rotate(15deg);
96     }
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102
103         })
104
105     })
106 </script>
107 </head>
108 <body>
109     <div id="controls">
110         <div class="control"><label>Eyebrows</label><input type="range"
111         value="25" id="eyebrow-control"></div>
112         <div class="control"><input type="checkbox" id="crazyeyes-control">
113         <label>Crazy eyes</label></div>
114     </div>
115
116     <div id="left-side">
117         <div class="eyebrow"></div>
118         <div class="eye">
119             <div class="pupil"></div>
120         </div>
121     </div>
122     <div id="right-side">
```

Line 103, Column 19 — Selected 3 lines — 128 Lines

INS

HTML ▾



Spaces: 4

Working Files

club_lapland_s

• example1_end

Getting Started ▾

index.html

main.css

▶ screenshots

```
92         transform: rotate(-15deg);
93     }
94     #right-side .eyebrow {
95         transform: rotate(15deg);
96     }
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             console.log('mouse is moving')
103         })
104
105     })
106 </script>
107 </head>
108 <body>
109     <div id="controls">
110         <div class="control"><label>Eyebrows</label><input type="range"
111             value="25" id="eyebrow-control"></div>
112         <div class="control"><input type="checkbox" id="crazyeyes-control">
113             <label>Crazy eyes</label></div>
114     </div>
115
116     <div id="left-side">
117         <div class="eyebrow"></div>
118         <div class="eye">
119             <div class="pupil"></div>
120         </div>
121     </div>
122     <div id="right-side">
```

Line 103, Column 1 — Selected 1 line — 128 Lines

INS

HTML ▾



Spaces: 4

Working Files

club_lapland_s

• example1_end

Getting Started ▾

index.html

main.css

▶ screenshots

```
92         transform: rotate(-15deg);
93     }
94     #right-side .eyebrow {
95         transform: rotate(15deg);
96     }
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             var x = event.pageX / $(window).width() * 100
103             var y = event.pageY / $(window).height() * 100
104
105         })
106
107     })
108 </script>
109 </head>
110 <body>
111     <div id="controls">
112         <div class="control"><label>Eyebrows</label><input type="range"
113             value="25" id="eyebrow-control"></div>
114         <div class="control"><input type="checkbox" id="crazyeyes-control">
115             <label>Crazy eyes</label></div>
116     </div>
117
118     <div id="left-side">
119         <div class="eyebrow"></div>
120         <div class="eye">
121             <div class="pupil"></div>
122         </div>
```

Line 103, Column 67 — Selected 2 lines — 130 Lines

INS

HTML ▾



Spaces: 4

Working Files

club_lapland_s

• example1_end

Getting Started ▾

index.html

main.css

▶ screenshots

```
92         transform: rotate(-15deg);
93     }
94     #right-side .eyebrow {
95         transform: rotate(15deg);
96     }
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             var x = event.pageX / $(window).width() * 100
103             var y = event.pageY / $(window).height() * 100
104
105             console.log(x, y)
106
107         })
108
109     })
110 </script>
111 </head>
112 <body>
113     <div id="controls">
114         <div class="control"><label>Eyebrows</label><input type="range"
115             value="25" id="eyebrow-control"></div>
116         <div class="control"><input type="checkbox" id="crazyeyes-control">
117             <label>Crazy eyes</label></div>
118     </div>
119
120     <div id="left-side">
121         <div class="eyebrow"></div>
122         <div class="eye">
```

Line 106, Column 1 — Selected 1 line — 132 Lines

INS

HTML ▾



Spaces: 4

Working Files

club_lapland_s

• example1_end

Getting Started ▾

index.html

main.css

▶ screenshots

```
92         transform: rotate(-15deg);
93     }
94     #right-side .eyebrow {
95         transform: rotate(15deg);
96     }
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             var x = event.pageX / $(window).width() * 100
103             var y = event.pageY / $(window).height() * 100
104
105             $('.pupil').css({
106                 left: x + '%',
107                 top: y + '%'
108             })
109
110         })
111
112     })
113 </script>
114 </head>
115 <body>
116     <div id="controls">
117         <div class="control"><label>Eyebrows</label><input type="range"
118             value="25" id="eyebrow-control"></div>
119         <div class="control"><input type="checkbox" id="crazyeyes-control">
120             <label>Crazy eyes</label></div>
```


Line 108, Column 23 — Selected 4 lines — 135 Lines

INS

HTML ▾



Spaces: 4



● ● ● /Users/fabianhijkema/stack/- Lessen Minerva/- Lessen 19:20/Programming 101/2.0 Lesson 3/templates/example1_end_template.html (Getting Started) — Brackets

Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             var x = event.pageX / $(window).width() * 100
103             var y = event.pageY / $(window).height() * 100
104
105             $('.pupil').css({
106                 left: x + '%',
107                 top: y + '%'
108             })
109
110         })
111
112         $('#eyebrow-control').on('input', function(){
113
114         })
115
116     })
117 </script>
118 </head>
119 <body>
120     <div id="controls">
121         <div class="control"><label>Eyebrows</label><input type="range"
122             value="25" id="eyebrow-control"></div>
123         <div class="control"><input type="checkbox" id="crazyeyes-control">
124             <label>Crazy eyes</label></div>
125     </div>
    <div id="left-side">
```

Line 114, Column 19 — Selected 3 lines — 139 Lines

INS HTML Spaces: 4

● ● ● /Users/fabianhijkema/stack/- Lessen Minerva/- Lessen 19:20/Programming 101/2.0 Lesson 3/templates/example1_end_template.html (Getting Started) — Brackets

Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             var x = event.pageX / $(window).width() * 100
103             var y = event.pageY / $(window).height() * 100
104
105             $('.pupil').css({
106                 left: x + '%',
107                 top: y + '%'
108             })
109
110         })
111
112         $('#eyebrow-control').on('input', function(){
113             var rotation = $(this).val() * 0.6 - 30
114         })
115
116     })
117 </script>
118 </head>
119 <body>
120     <div id="controls">
121         <div class="control"><label>Eyebrows</label><input type="range"
122             value="25" id="eyebrow-control"></div>
123         <div class="control"><input type="checkbox" id="crazyeyes-control">
124             <label>Crazy eyes</label></div>
125     </div>
126     <div id="left-side">
```

Line 114, Column 1 — Selected 1 line — 139 Lines

INS HTML Spaces: 4

● ● ● /Users/fabianhijkema/stack/- Lessen Minerva/- Lessen 19:20/Programming 101/2.0 Lesson 3/templates/example1_end_template.html (Getting Started) — Brackets

Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             var x = event.pageX / $(window).width() * 100
103             var y = event.pageY / $(window).height() * 100
104
105             $('.pupil').css({
106                 left: x + '%',
107                 top: y + '%'
108             })
109
110         })
111
112         $('#eyebrow-control').on('input', function(){
113             var rotation = $(this).val() * 0.6 - 30
114
115             console.log(rotation)
116         })
117
118     })
119 </script>
120 </head>
121 <body>
122     <div id="controls">
123         <div class="control"><label>Eyebrows</label><input type="range"
124             value="25" id="eyebrow-control"></div>
125         <div class="control"><input type="checkbox" id="crazyeyes-control">
            <label>Crazy eyes</label></div>
    </div>
```

Line 116, Column 1 — Selected 1 line — 141 Lines

INS HTML ○ Spaces: 4

● ● ● /Users/fabianhijkema/stack/- Lessen Minerva/- Lessen 19:20/Programming 101/2.0 Lesson 3/templates/example1_end_template.html (Getting Started) — Brackets

Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             var x = event.pageX / $(window).width() * 100
103             var y = event.pageY / $(window).height() * 100
104
105             $('.pupil').css({
106                 left: x + '%',
107                 top: y + '%'
108             })
109
110         })
111
112         $('#eyebrow-control').on('input', function(){
113             var rotation = $(this).val() * 0.6 - 30
114
115             $('#left-side .eyebrow').css({
116                 transform: 'rotate(' + rotation + 'deg)'
117             })
118
119         })
120
121     })
122 </script>
123 </head>
124 <body>
125     <div id="controls">
126         <div class="control"><label>Eyebrows</label><input type="range"
            value="25" id="eyebrow-control"></div>
```

Line 117, Column 23 — Selected 3 lines — 144 Lines

INS HTML ○ Spaces: 4

● ● ● /Users/fabianhijkema/stack/- Lessen Minerva/- Lessen 19:20/Programming 101/2.0 Lesson 3/templates/example1_end_template.html (Getting Started) — Brackets

Working Files

club_lapland_s

• example1_end

Getting Started

index.html


main.css

▶ screenshots

```
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         $(window).on('mousemove', function( event ) {
102             var x = event.pageX / $(window).width() * 100
103             var y = event.pageY / $(window).height() * 100
104
105             $('.pupil').css({
106                 left: x + '%',
107                 top: y + '%'
108             })
109
110         })
111
112         $('#eyebrow-control').on('input', function(){
113             var rotation = $(this).val() * 0.6 - 30
114
115             $('#left-side .eyebrow').css({
116                 transform: 'rotate(' + rotation + 'deg)'
117             })
118             $('#right-side .eyebrow').css({
119                 transform: 'rotate(' + -rotation + 'deg)'
120             })
121         })
122
123     })
124 </script>
125 </head>
126 <body>
127 <div id="controls">
```

Line 120, Column 23 — Selected 3 lines — 146 Lines

INS HTML Spaces: 4



Working Files

club_lapland_s

• example1_end

Getting Started ▾

index.html

main.css

▶ screenshots

```
94 ▾      #right-side .eyebrow {
95          transform: rotate(15deg);
96      }
97  </style>
98
99  <script>
100 ▾      $(document).ready(function(){
101          var crazyeyes = false
102
103 ▾      $(window).on('mousemove', function( event ) {
104          var x = event.pageX / $(window).width() * 100
105          var y = event.pageY / $(window).height() * 100
106
107 ▾      $('.pupil').css({
108          left: x + '%',
109          top: y + '%'
110      })
111
112      })
113
114 ▾      $('#eyebrow-control').on('input', function(){
115          var rotation = $(this).val() * 0.6 - 30
116
117 ▾      $('#left-side .eyebrow').css({
118          transform: 'rotate(' + rotation + 'deg)'
119      })
120 ▾      $('#right-side .eyebrow').css({
121          transform: 'rotate(' + -rotation + 'deg)'
122      })
123      })
124
```

Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
113     $('#right-side .pupil').css({
114         left: 100 - x + '%',
115         top: 100 - y + '%'
116     })
117     })
118 })
119
120 $('#eyebrow-control').on('input', function(){
121     var rotation = $(this).val() * 0.6 - 30
122
123     $('#left-side .eyebrow').css({
124         transform: 'rotate(' + rotation + 'deg)'
125     })
126     $('#right-side .eyebrow').css({
127         transform: 'rotate(' + -rotation + 'deg)'
128     })
129 })
130
131 $('#crazyeyes-control').on('input', function(){
132     crazyeyes = $(this).is(':checked')
133 })
134 })
135 </script>
136 </head>
137 <body>
138 <div id="controls">
139     <div class="control"><label>Eyebrows</label><input type="range"
140         value="25" id="eyebrow-control"></div>
141     <div class="control"><input type="checkbox" id="crazyeyes-control">
142         <label>Crazy eyes</label></div>
```

Working Files

club_lapland_s

• example1_end

Getting Started ▾

index.html

main.css

▶ screenshots

```
94     #right-side .eyebrow {
95         transform: rotate(15deg);
96     }
97 </style>
98
99 <script>
100     $(document).ready(function(){
101         var crazyeyes = false
102
103         $(window).on('mousemove', function( event ) {
104             var x = event.pageX / $(window).width() * 100
105             var y = event.pageY / $(window).height() * 100
106
107             $('.pupil').css({
108                 left: x + '%',
109                 top: y + '%'
110             })
111
112             if(crazyeyes) {
113                 $('#right-side .pupil').css({
114                     left: 100 - x + '%',
115                     top: 100 - y + '%'
116                 })
117             }
118         })
119
120         $('#eyebrow-control').on('input', function(){
121             var rotation = $(this).val() * 0.6 - 30
122
123             $('#left-side .eyebrow').css({
124                 transform: 'rotate(' + rotation + 'deg)'
```


Line 117, Column 22 — Selected 6 lines — 154 Lines

INS

HTML ▾



Spaces: 4



Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
122
123     $('#left-side .eyebrow').css({
124         transform: 'rotate(' + rotation + 'deg)'
125     })
126     $('#right-side .eyebrow').css({
127         transform: 'rotate(' + -rotation + 'deg)'
128     })
129 })
130
131     $('#crazyeyes-control').on('input', function(){
132         crazyeyes = $(this).is(':checked')
133     })
134
135     blink()
136 })
137 </script>
138 </head>
139 <body>
140     <div id="controls">
141         <div class="control"><label>Eyebrows</label><input type="range"
142             value="25" id="eyebrow-control"></div>
143         <div class="control"><input type="checkbox" id="crazyeyes-control">
144             <label>Crazy eyes</label></div>
145     </div>
146     <div id="left-side">
147         <div class="eyebrow"></div>
148         <div class="eye">
149             <div class="pupil"></div>
150         </div>
151     </div>
```

● ● ● /Users/fabianhijkema/stack/- Lessen Minerva/- Lessen 19:20/Programming 101/2.0 Lesson 3/templates/example1_end_template.html (Getting Started) — Brackets

Working Files

club_lapland_s
example1_start
• example1_end

Getting Started ▾

index.html
main.css
▶ screenshots

126 ▾
127
128
129
130
131 ▾
132
133
134
135
136
137
138 ▾
139
140
141
142
143 ▾
144 ▾
145
146
147
148
149 ▾
150
151 ▾
152
153
154

```
$( '#right-side .eyebrow' ).css({  
    transform: 'rotate(' + -rotation + 'deg)'  
})  
})  
  
$( '#crazyeyes-control' ).on( 'input', function() {  
    crazyeyes = $( this ).is( ':checked' )  
})  
  
blink()  
})  
  
function blink() {  
    console.log( 'blink' )  
}  
  
</script>  
</head>  
<body>  
    <div id="controls">  
        <div class="control"><label>Eyebrows</label><input type="range"  
value="25" id="eyebrow-control"></div>  
        <div class="control"><input type="checkbox" id="crazyeyes-control">  
        <label>Crazy eyes</label></div>  
    </div>  
  
    <div id="left-side">  
        <div class="eyebrow"></div>  
        <div class="eye">  
            <div class="pupil"></div>  
        </div>  
    </div>
```

Line 140, Column 14 — Selected 3 lines — 163 Lines

INSHTML ▾○Spaces: 4

Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
122
123     $('#left-side .eyebrow').css({
124         transform: 'rotate(' + rotation + 'deg)'
125     })
126     $('#right-side .eyebrow').css({
127         transform: 'rotate(' + -rotation + 'deg)'
128     })
129 })
130
131     $('#crazyeyes-control').on('input', function(){
132         crazyeyes = $(this).is(':checked')
133     })
134
135     blink()
136 })
137
138     function blink() {
139         var timetowait = Math.ceil(Math.random() * 6) * 1000
140     }
141     </script>
142     </head>
143     <body>
144     <div id="controls">
145         <div class="control"><label>Eyebrows</label><input type="range"
146             value="25" id="eyebrow-control"></div>
147         <div class="control"><input type="checkbox" id="crazyeyes-control">
148             <label>Crazy eyes</label></div>
149     </div>
150     <div id="left-side">
151         <div class="eyebrow"></div>
```


Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
122
123     $('#left-side .eyebrow').css({
124         transform: 'rotate(' + rotation + 'deg)'
125     })
126     $('#right-side .eyebrow').css({
127         transform: 'rotate(' + -rotation + 'deg)'
128     })
129 })
130
131     $('#crazyeyes-control').on('input', function(){
132         crazyeyes = $(this).is(':checked')
133     })
134
135     blink()
136 })
137
138     function blink() {
139         var timetowait = Math.ceil(Math.random() * 6) * 1000
140         setTimeout(function(){
141             alert('blink')
142         }, timetowait)
143     }
144     </script>
145 </head>
146 <body>
147     <div id="controls">
148         <div class="control"><label>Eyebrows</label><input type="range"
149             value="25" id="eyebrow-control"></div>
150         <div class="control"><input type="checkbox" id="crazyeyes-control">
            <label>Crazy eyes</label></div>
151     </div>
```

Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
122
123     $('#left-side .eyebrow').css({
124         transform: 'rotate(' + rotation + 'deg)'
125     })
126     $('#right-side .eyebrow').css({
127         transform: 'rotate(' + -rotation + 'deg)'
128     })
129 })
130
131     $('#crazyeyes-control').on('input', function(){
132         crazyeyes = $(this).is(':checked')
133     })
134
135     blink()
136 })
137
138     function blink() {
139         var timetowait = Math.ceil(Math.random() * 6) * 1000
140         setTimeout(function(){
141             $('.eye').addClass('blink')
142         }, timetowait)
143     }
144     </script>
145 </head>
146 <body>
147     <div id="controls">
148         <div class="control"><label>Eyebrows</label><input type="range"
value="25" id="eyebrow-control"></div>
149         <div class="control"><input type="checkbox" id="crazyeyes-control">
<label>Crazy eyes</label></div>
150     </div>
```

Working Files

club_lapland_s

• example1_end

Getting Started

index.html

main.css

▶ screenshots

```
122
123     $('#left-side .eyebrow').css({
124         transform: 'rotate(' + rotation + 'deg)'
125     })
126     $('#right-side .eyebrow').css({
127         transform: 'rotate(' + -rotation + 'deg)'
128     })
129 })
130
131     $('#crazyeyes-control').on('input', function(){
132         crazyeyes = $(this).is(':checked')
133     })
134
135     blink()
136 })
137
138     function blink() {
139         var timetowait = Math.ceil(Math.random() * 6) * 1000
140         setTimeout(function(){
141             $('.eye').addClass('blink')
142
143             blink()
144         }, timetowait)
145     }
146     </script>
147 </head>
148 <body>
149     <div id="controls">
150         <div class="control"><label>Eyebrows</label><input type="range"
151             value="25" id="eyebrow-control"></div>
152         <div class="control"><input type="checkbox" id="crazyeyes-control">
```

Working Files

club_lapland_s

example1_end

Getting Started

index.html

main.css

▶ screenshots

```
122
123     $('#left-side .eyebrow').css({
124         transform: 'rotate(' + rotation + 'deg)'
125     })
126     $('#right-side .eyebrow').css({
127         transform: 'rotate(' + -rotation + 'deg)'
128     })
129 })
130
131     $('#crazyeyes-control').on('input', function(){
132         crazyeyes = $(this).is(':checked')
133     })
134
135     blink()
136 })
137
138     function blink() {
139         var timetowait = Math.ceil(Math.random() * 6) * 1000
140         setTimeout(function(){
141             $('.eye').addClass('blink')
142             setTimeout(function(){
143                 $('.eye').removeClass('blink')
144             }, 150)
145
146             blink()
147         }, timetowait)
148     }
149     </script>
150 </head>
151 <body>
152     <div id="controls">
```

Line 144, Column 28 — Selected 3 lines — 171 Lines

INS

HTML ▼

○

Spaces: 4

Now create the final character “Z” where you try to be more creative using JavaScript.